

Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

Ref. 130000025456

This Safety Data Sheet adheres to the standards and regulatory requirements of the Republic of Ireland and may not meet the regulatory requirements of other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	:	HARMONY [®] M SX
Synonyms	:	C11440510 DPX-E8698 44SG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture Herbicide

1.3. Details of the supplier of the safety data sheet

Company	: Du Pont (UK) Limited Wedgwood Way Stevenage, Herts. SG1 4QN United Kingdom
Telephone	: +44 (0) 1438 734 000
E-mail address	: sds-support@che.dupont.com

1.4. Emergency telephone number

Emergency telephone number : +44 (0) 8456 006 640

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.
Chronic aquatic toxicity, Category 1	H410: Very toxic to aquatic life with long lasting effects.
Dangerous for the environment	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements



Warning

Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

H410	Very toxic to aquatic life with long lasting effects.
Special labelling of certain substances and mixtures	EUH401: To avoid risks to human health and the environment, comply with the instructions for use.,
P391 P501	Collect spillage. Dispose of contents/ container to an approved waste disposal plant.
SP 1	Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

Ref. 13000025456

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

egistration number Classification according to Directive 67/548/EE	Classification according to Regulation (EU) 1272/2008 C (CLP)	Concentration
--	---	---------------

Thifensulfuron methyl (CAS-No.79277-27-3)

	N;R50/53	Aquatic Acute 1; H400	40 %
		Aquatic Chronic 1; H410	

Metsulfuron methyl (CAS-No.74223-64-6)

N;R50/53	Aquatic Acute 1; H400	4 %
	Aquatic Chronic 1; H410	

Sodium carbonate (CAS-No.497-19-8) (EC-No.207-838-8)

01-2119485498-19	Xi;R36	Eye Irrit. 2; H319	>= 10 - < 15 %

Lignosulfonic acid, sodium salt, sulfomethylated (CAS-No.68512-34-5)

, eeu.e	sang sansingiaisa (si		
	Xi;R36	Eye Irrit. 2; H319	>= 1 - < 5 %

The above products are REACH compliant; Registration number(s) may not be provided because substance(s) are exempted, not yet registered under REACH or are registered under another regulatory process (biocide uses, plant protection products), etc.

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

2/	1	4



Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

Ref. 130000025456

4.1. Description of first aid r	easures
General advice	: Never give anything by mouth to an unconscious person. For specialist adv physicians should contact the National Poisons Information Service: Tel. (0 806 2911.
Inhalation	Move to fresh air. Consult a physician after significant exposure. Artificial respiration and/or oxygen may be necessary.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediate with soap and plenty of water. In the case of skin irritation or allergic reaction see a physician. Wash contaminated clothing before re-use.
Eye contact	If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly gently with water for 15-20 minutes. If eye irritation persists, consult a specialist.
Ingestion	: Obtain medical attention. DO NOT induce vomiting unless directed to do so a physician or poison control center. If victim is conscious: Rinse mouth with water.
4.2. Most important sympton	s and effects, both acute and delayed
Symptoms	No cases of human intoxication are known and the symptoms of experiment intoxication are not known.
4.3. Indication of any immed	ate medical attention and special treatment needed
Treatment	Treat symptomatically.
TION 5: Firefighting measure	<u> </u>
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, Dry chemical, Foam, Carbon dioxide (CO2)
Extinguishing media which shall not be used for safety reasons	: High volume water jet, (contamination risk)
5.2. Special hazards arising	rom the substance or mixture
Specific hazards during firefighting	: Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO2) Nitrogen oxides (NOx)
5.3. Advice for firefighters	
Special protective equipment for firefighters	: Wear full protective clothing and self-contained breathing apparatus.
Further information	: Prevent fire extinguishing water from contaminating surface water or the growater system. Collect contaminated fire extinguishing water separately. This



ARMONY [®] M SX	
ersion 5.0 (replaces: Version 4.0) evision Date 07.02.2014	Ref. 130000025456
	must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
	: (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool container / tanks with water spray.
CTION 6: Accidental release me	easures
6.1. Personal precautions, pro	otective equipment and emergency procedures
Personal precautions	: Control access to area. Keep people away from and upwind of spill/leak. Avoid dust formation. Avoid breathing dust. Use personal protective equipment. Refe to protective measures listed in sections 7 and 8.
6.2. Environmental precaution	ns
Environmental precautions	: Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Loc authorities should be advised if significant spillages cannot be contained. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3. Methods and materials fo	or containment and cleaning up
Methods for cleaning up	 Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean-up methods - large spillage Avoid dust formation. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transf to a container for disposal according to local regulations (see section 13). If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.
Other information	: Never return spills in original containers for re-use. Dispose of in accordance with local regulations.
6.4. Reference to other section	ns
For personal protection see sec	ction 8., For disposal instructions see section 13.
CTION 7: Handling and storage	
7.1. Precautions for safe hand	dling
Advice on safe handling :	Use only according to our recommendations. Use only clean equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Weat personal protective equipment. For personal protection see section 8. Prepare the working solution as given on the label(s) and/or the user instructions. Use prepared working solution as soon as possible - Do not store. Provide appropriate exhaust ventilation at places where dust is formed. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Avoid exceeding of the given occupational exposure limits (see section 8).
	4/14



Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014	Ref. 130000025456
Advice on protection against fire and explosion	: Keep away from heat and sources of ignition. Avoid dust formation in confined areas. During processing, dust may form explosive mixture in air.
7.2. Conditions for safe store	age, including any incompatibilities
Requirements for storage areas and containers	Store in a place accessible by authorized persons only. Store in original container. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.
Advice on common storage	: No special restrictions on storage with other products.
Other data	: Stable under recommended storage conditions.
7.3. Specific end use(s)	

Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

If sub-section is empty then no values are applicable.

Components with workplace control parameters

Type Form of exposure	Control parameters	Update	Basis	Remarks
•				

Sucrose (CAS-No. 57-50-1)

TWA	10 mg/m3	2010	ELV (IE)	
	no mg/mo	2010		
STEL	20 mg/m3	2010	ELV (IE)	
SILL	20 mg/m3	2010		

8.2. Exposure controls

Engineering measures	: Ensure adequate ventilation, especially in confined areas. Provide for appropriate exhaust ventilation and dust collection at machinery. Use sufficient ventilation to keep employee exposure below recommended limits.
Eye protection	: Safety glasses with side-shields conforming to EN166
Hand protection	 Material: Nitrile rubber Glove thickness: 0.3 mm Glove length: Standard glove type. Protection index: Class 6 Wearing time: > 480 min The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication
	5/14



ARMONY [®] M SX	
rsion 5.0 (replaces: Version 4.0) vision Date 07.02.2014	Ref. 130000025456
	of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Before removing gloves clean them with soap and water.
Skin and body protection :	Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-2)
	Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Rubber apron Nitrile rubber boots (EN 13832-3 / EN ISO 20345).
	Spray application - outdoor: Tractor / sprayer with hood: No personal body protection normally required.
	Tractor / sprayer without hood: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).
	Backpack / knapsack sprayer: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).
	Mechanical automatized spray application in closed tunnel: No personal body protection normally required.
	When exceptional circumstances require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6 (EN 13034), nitrile rubber gloves class 3 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345).
	To optimize the ergonomy it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier. Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use. The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during application.
Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations.
Respiratory protection :	Manufacturing and processing work: Half mask with a particle filter FFP1 (EN149)



HARMONY® M SX

Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

Ref. 130000025456

Spray application - outdoor: Tractor / sprayer with hood: No personal respiratory protective equipment normally required.

Tractor / sprayer without hood: Low application (horticulture, field crops): Half mask with a particle filter P1 (EN 143).

Backpack / knapsack sprayer: Low application (horticulture, field crops): Half mask with a particle filter P1 (EN 143).

Mechanical automatized spray application in closed tunnel: No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	: granules
Colour	: brown, light brown
Odour	: slight
Odour Threshold	: not determined
рН	: 8.7 at 10 g/l (25 °C)
Melting point/range	: Not available for this mixture.
Boiling point/boiling range	: not applicable
Flash point	: not applicable
Flammability (solid, gas)	: The product is not flammable.
Thermal decomposition	: Not available for this mixture.
Auto-ignition temperature	: Not available for this mixture.
Oxidizing properties	: The product is not oxidizing.
Explosive properties	: Not explosive
Lower explosion limit/ lower flammability limit	: Not available for this mixture.
Upper explosion limit/ upper flammability limit	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: not applicable
Bulk density	: 0.696 kg/m3 , packed
Water solubility	: soluble
	7/14



Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014	Ref. 13000025456
Partition coefficient: n- octanol/water	: not applicable
Viscosity, kinematic	: not applicable
Relative vapour density	: not applicable
Evaporation rate	: Not available for this mixture.
9.2. Other information	
Physchem./other information	: No other data to be specially mentioned.
SECTION 10: Stability and reactive	rity
10.1. Reactivity	: No hazards to be specially mentioned.
10.2. Chemical stability	: The product is chemically stable under recommended conditions of storage, use and temperature.
10.3. Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use. Polymerization will not occur. No decomposition if stored and applied as directed.
10.4. Conditions to avoid	: Decomposes on heating. To avoid thermal decomposition, do not overheat. Under severe dusting conditions, this material may form explosive mixtures in air.
10.5. Incompatible materials	: No materials to be especially mentioned.
10.6. Hazardous decomposition products	: Sulphur oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

LD50 / rat : > 5,000 mg/kg Method: Fixed Dose Method (Data on the product itself) Information source: Internal study report

Acute inhalation toxicity

- Thifensulfuron methyl LC50 / 4 h rat : > 7.9 mg/l
- Metsulfuron methyl LC50 / 4 h rat : > 5.3 mg/l

Acute dermal toxicity

LD50 / rat : > 5,000 mg/kg Method: OECD Test Guideline 402 (Data on the product itself) Information source: Internal study report



Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

Ref. 130000025456

Skin irritation

rabbit Result: No skin irritation Method: OECD Test Guideline 404 (Data on the product itself) Information source: Internal study report

Eye irritation

rabbit Result: No eye irritation Method: OECD Test Guideline 405 (Data on the product itself) Information source: Internal study report

Sensitisation

guinea pig Maximisation Test (GPMT) Result: Animal test did not cause sensitization by skin contact. Method: OECD Test Guideline 406 (Data on the product itself) Information source: Internal study report

Repeated dose toxicity

 Thifensulfuron methyl The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Oral - feed multiple species Reduced body weight gain

 Metsulfuron methyl Oral rat Exposure time: 90 d Reduced body weight gain, Liver effects

Oral rat Reduced body weight gain, Organ weight changes, Liver

Dermal rabbit Skin irritation

Mutagenicity assessment

- Thifensulfuron methyl Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Metsulfuron methyl Animal testing did not show any mutagenic effects. Did not cause genetic damage in cultured bacterial cells. Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others.

Carcinogenicity assessment

• Thifensulfuron methyl Animal testing did not show any carcinogenic effects.



Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

Ref. 130000025456

• Metsulfuron methyl Not classifiable as a human carcinogen. Did not show carcinogenic effects in animal experiments.

Toxicity to reproduction assessment

- Thifensulfuron methyl No toxicity to reproduction
- Metsulfuron methyl No toxicity to reproduction Animal testing did not show any effects on fertility.

Assessment teratogenicity

- Thifensulfuron methyl Did not show teratogenic effects in animal experiments. Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.
- Metsulfuron methyl Animal testing showed no developmental toxicity.
- STOT single exposure
- The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

The mixture does not have properties associated with aspiration hazard potential.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish

LC50 / 96 h / Oncorhynchus mykiss (rainbow trout): > 130 mg/l Method: OECD Test Guideline 203 (Data on the product itself) Information source: Internal study report

Toxicity to aquatic plants

EbC50 / 72 h / Pseudokirchneriella subcapitata (green algae): 0.0609 mg/l Method: OECD Test Guideline 201 (Data on the product itself) Information source: Internal study report

EbC50 / 336 h / Lemna gibba (duckweed): 0.029 mg/l Method: US EPA Test Guideline OPPTS 850.4400 (Data on the product itself) Information source: Internal study report

Toxicity to aquatic invertebrates

LC50 / 48 h / Daphnia magna (Water flea): > 130 mg/l



HARMONY® M SX

Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

Ref. 130000025456

Method: OECD Test Guideline 202 (Data on the product itself) Information source: Internal study report

Toxicity to soil dwelling organisms

LC50 / 14 d / Eisenia fetida (earthworms): > 1,000 mg/kg Method: OECD Test Guideline 207 (Data on the product itself) Information source: Internal study report

Toxicity to other organisms

LD50 / 48 h / Apis mellifera (bees): > 0.0917 mg/kg Method: OECD Test Guideline 213 (Data on the product itself) Information source: Internal study report

LD50 / 48 h / Apis mellifera (bees): > 0.100 mg/kg Method: OECD Test Guideline 213 (Data on the product itself) Information source: Internal study report

Chronic toxicity to fish

- Thifensulfuron methyl NOEC / 62 d / Oncorhynchus mykiss (rainbow trout): 10.6 mg/l
- Metsulfuron methyl NOEC / 21 h / Oncorhynchus mykiss (rainbow trout): 68 mg/l

Chronic toxicity to aquatic Invertebrates

- Thifensulfuron methyl NOEC / 28 d / Americamysis bahia (mysid shrimp): 7.93 mg/l
- Metsulfuron methyl NOEC / 21 h / Daphnia magna (Water flea): 100 mg/l

12.2. Persistence and degradability

Biodegradability

Not readily biodegradable. Estimation based on data obtained on active ingredient.

12.3. Bioaccumulative potential

Bioaccumulation

Does not bioaccumulate. Estimation based on data obtained on active ingredient.

12.4. Mobility in soil

Mobility in soil

Moderately mobile in soils

12.5. Results of PBT and vPvB assessment



Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

Ref. 130000025456

PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). / This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

Additional ecological information

No other ecological effects to be specially mentioned See product label for additional application instructions relating to environmental precautions.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product

: In accordance with local and national regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging

: Do not re-use empty containers.

SECTION 14: Transport information

ADR	
14.1. UN number:	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
	N.O.S. (Thifensulfuron-methyl, Metsulfuron methyl)
14.3. Transport hazard class(es):	9
14.4. Packing group:	
14.5. Environmental hazards:	Environmentally hazardous
14.6. Special precautions for user:	
Tunnel restriction code:	(E)
IATA C	
14.1. UN number:	3077
14.2. UN proper shipping name:	Environmentally hazardous substance, solid, n.o.s.
	(Thifensulfuron-methyl, Metsulfuron methyl)
14.3. Transport hazard class(es):	9
14.4. Packing group:	Ĩ
14.5. Environmental hazards :	Environmentally hazardous
14.6. Special precautions for user:	
DuPont internal recommendations an	d transport guidance: ICAO / IATA cargo aircraft only
	, , , , , , , , , , , , , , , , , , ,
IMDG	
14.1. UN number:	3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
	N.O.S. (Thifensulfuron-methyl, Metsulfuron methyl)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
14.5. Environmental hazards :	Marine pollutant
14.6. Special precautions for user:	
no data available	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

Ref. 13000025456

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008. Take note of Dir 94/33/EC on the protection of young people at work. Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Take note of Directive 96/82/EC on the control of major-accident hazards involving dangerous substances. Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

15.2. Chemical Safety Assessment

A Chemical Safety Assessment is not required for this/these products The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information

Text of R-phrases mentioned in Section 3

R36 R50/53	Irritating to eyes. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
	environment.

Full text of H-Statements referred to under section 3.

H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Other information professional use

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute toxicity estimate	
CAS-No.	Chemical Abstracts Service number	
CLP	Classification, Labelling and Packaging	
EbC50	Concentration at which 50% reduction of biomass is observed	
EC50	Median effective concentration	
EN	European Norm	
EPA	Environmental Protection Agency	
ErC50	Concentration at which a 50% inhibition of growth rate is observed	
EyC50	Concentration at which 50 % inhibition of yield is observed	
IATA_C	International Air Transport Association (Cargo)	
IBC	International Bulk Chemical Code	
ICAO	International Civil Aviation Organization	
ISO	International Standard Organization	
IMDG	International Maritime Dangerous Goods	
LC50	Median Lethal Concentration	
13/14		



HARMONY® M SX

Version 5.0 (replaces: Version 4.0) Revision Date 07.02.2014

> Median Lethal Dose LD50 LOEC Lowest Observed Effect Concentration LOEL Lowest observable effect level International Convention for the Prevention of Marine Pollution from Ships MARPOL Not Otherwise Specified n.o.s. NOAEC No Observed Adverse Effect Concentration No observed adverse effect level NOAEL No Observed Effect Concentration NOEC No Observed Effect Level NOEL Organisation for Economic Co-operation and Development OECD Office of Prevention, Pesticides and Toxic Substances OPPTS PBT Persistent, Bioaccumulative and Toxic Short term exposure limit STEL time weighted average TWA very Persistent and very Bioaccumulative vPvB

Ref. 13000025456

Further information

Before use read DuPont's safety information., Take notice of the directions of use on the label. [®] Registered trademark of E.I. du Pont de Nemours and Company

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.