



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

This Safety Data Sheet adheres to the standards and regulatory requirements of the Republic of Ireland and may not meet the regulatory requirements of other countries.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : PROSPECT® SX  
Synonyms : B11646126  
DPX-M6316 50SG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

#### 1.3. Details of the supplier of the safety data sheet

Company : Du Pont (UK) Limited  
Wedgwood Way  
Stevenage, Herts. SG1 4QN  
United Kingdom

Telephone : +44 (0) 1438 734 000

E-mail address : sds-support@che.dupont.com

#### 1.4. Emergency telephone number

Emergency telephone number : +(353)-19014670  
: Poison Centres may only possess information required for products in  
accordance with Regulation (EC) No 1272/2008 and national legislation.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects.

Dangerous for the environment R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.2. Label elements

## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398



### Warning

#### H410

Very toxic to aquatic life with long lasting effects.

#### Special labelling of certain substances and mixtures

EUH401: To avoid risks to human health and the environment, comply with the instructions for use.,

#### P391 P501

Collect spillage.  
Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

#### SP 1

Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Registration number	Classification according to Directive 67/548/EEC	Classification according to Regulation (EU) 1272/2008 (CLP)	Concentration (% w/w)
---------------------	--	---	-----------------------

#### Thifensulfuron methyl (CAS-No.79277-27-3)

	N;R50/53	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	50 %
--	----------	--	------

#### Sodium carbonate (CAS-No.497-19-8) (EC-No.207-838-8)

01-2119485498-19	Xi;R36	Eye Irrit. 2; H319	>= 10 - < 15 %
------------------	--------	--------------------	----------------



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

The above products are REACH compliant; Registration number(s) may not be provided because substance(s) are exempted, not yet registered under REACH or are registered under another regulatory process (biocide uses, plant protection products), etc.

For the full text of the R-phrases mentioned in this Section, see Section 16.  
For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- |                |   |
|----------------|---|
| General advice | : Never give anything by mouth to an unconscious person. For specialist advice contact the National Poisons Information Service. Healthcare Professionals: (01) 809 2566 or (01) 837 9964 (24h per day – 365 days per year). Public Poisons Information Line: (01) 809 2166 (8am-10pm). |
| Inhalation     | : Move to fresh air. Consult a physician after significant exposure. Artificial respiration and/or oxygen may be necessary.   |
| Skin contact   | : Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before re-use.   |
| Eye contact    | : If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and gently with water for 15-20 minutes. If eye irritation persists, consult a specialist.  |
| Ingestion      | : Obtain medical attention. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If victim is conscious: Rinse mouth with water.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

- |          |   |
|----------|---|
| Symptoms | : No cases of human intoxication are known and the symptoms of experimental intoxication are not known. |
|----------|---|

#### 4.3. Indication of any immediate medical attention and special treatment needed

- |           |                          |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- |  |  |
|--|--|
| Suitable extinguishing media                                   | : Water spray, Dry chemical, Foam, Carbon dioxide (CO <sub>2</sub> ) |
| Extinguishing media which shall not be used for safety reasons | : High volume water jet, (contamination risk)                        |

#### 5.2. Special hazards arising from the substance or mixture



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

Specific hazards during firefighting : Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>)

### 5.3. Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

: (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Control access to area. Keep people away from and upwind of spill/leak. Avoid dust formation. Avoid breathing dust. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.

### 6.2. Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the product contaminates rivers and lakes or drains inform respective authorities. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal.

### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Clean-up methods - large spillage Avoid dust formation. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).  
If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.

Other information : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

### 6.4. Reference to other sections

For personal protection see section 8., For disposal instructions see section 13.



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling : Use only according to our recommendations. Use only clean equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Wear personal protective equipment. For personal protection see section 8. Prepare the working solution as given on the label(s) and/or the user instructions. Use prepared working solution as soon as possible - Do not store. Provide appropriate exhaust ventilation at places where dust is formed. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Avoid exceeding the given occupational exposure limits (see section 8).

Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Avoid dust formation in confined areas. During processing, dust may form explosive mixture in air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep out of the reach of children.

Advice on common storage : No special restrictions on storage with other products.

Other data : Stable under recommended storage conditions.

#### 7.3. Specific end use(s)

Plant protection products subject to Regulation (EC) No 1107/2009.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

If sub-section is empty then no values are applicable.

#### 8.2. Exposure controls

Engineering measures : Ensure adequate ventilation, especially in confined areas. Provide for appropriate exhaust ventilation and dust collection at machinery. Use sufficient ventilation to keep employee exposure below recommended limits.

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection : Material: Nitrile rubber  
Glove thickness: 0.3 mm  
Glove length: Standard glove type.  
Protection index: Class 6  
Wearing time: > 480 min  
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Before removing gloves clean them with soap and water.

Skin and body protection : Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-2)

Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Rubber apron Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Spray application - outdoor: Tractor / sprayer with hood: No personal body protection normally required. Tractor / sprayer without hood: Low application: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Backpack / knapsack sprayer: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Mechanical automatized spray application in closed tunnel: No personal body protection normally required.

When exceptional circumstances require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6 (EN 13034), nitrile rubber gloves class 3 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345).

To optimize the ergonomics it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier.

Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use.

The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

- application.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations.
- Respiratory protection : Manufacturing and processing work: Half mask with a particle filter FFP1 (EN149)
- Mixer and loaders must wear: Half mask with a particle filter FFP1 (EN149)
- Field and greenhouse application: Spray application - outdoor: Tractor / sprayer with hood: No personal respiratory protective equipment normally required.  
Tractor / sprayer without hood: Low application: Half mask with a particle filter FFP1 (EN149)
- Backpack / knapsack sprayer: Half mask with a particle filter FFP1 (EN149)
- Mechanical automatized spray application in closed tunnel: No personal respiratory protective equipment normally required.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Form : granules
- Colour : light brown
- Odour : mild
- Odour Threshold : not determined
- pH : 9.2 at 10 g/l ( 25 °C)
- Melting point/range : ca. 182 °C
- Boiling point/boiling range : Not applicable
- Flash point : Not applicable
- Flammability (solid, gas) : The product is not flammable.
- Thermal decomposition : Not available for this mixture.
- Auto-ignition temperature : Test Type :Auto-ignition temperature, does not ignite



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

Oxidizing properties	: The product is not oxidizing.
Explosive properties	: Not explosive
Upper explosion limit/ upper flammability limit	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: Not available for this mixture.
Bulk density	: 696 kg/m <sup>3</sup> , packed
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Viscosity, kinematic	: Not applicable
Relative vapour density	: Not available for this mixture.
Evaporation rate	: Not applicable
Minimum ignition energy	: > 1,000 mJ

### 9.2. Other information

Phys.-chem./other information : No other data to be specially mentioned.

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	: No hazards to be specially mentioned.
<b>10.2. Chemical stability</b>	: The product is chemically stable under recommended conditions of storage, use and temperature.
<b>10.3. Possibility of hazardous reactions</b>	: No dangerous reaction known under conditions of normal use. Polymerization will not occur. No decomposition if stored and applied as directed.
<b>10.4. Conditions to avoid</b>	: To avoid thermal decomposition, do not overheat. Under severe dusting conditions, this material may form explosive mixtures in air.
<b>10.5. Incompatible materials</b>	: No materials to be especially mentioned.
<b>10.6. Hazardous decomposition products</b>	: Sulphur oxides





## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute oral toxicity

LD50 / Rat : > 5,000 mg/kg  
Method: Fixed Dose Method  
(Data on the product itself) Information source: Internal study report

##### Acute inhalation toxicity

- Thifensulfuron methyl  
LC50 / 4 h Rat : > 7.9 mg/l

##### Acute dermal toxicity

LD50 / Rabbit : > 2,000 mg/kg  
Method: OECD Test Guideline 402  
(Data on the product itself) Information source: Internal study report

##### Skin irritation

Rabbit  
Result: No skin irritation  
Method: OECD Test Guideline 404  
(Data on the product itself) Information source: Internal study report

##### Eye irritation

Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405  
(Data on the product itself) Information source: Internal study report

##### Sensitisation

Guinea pig Maximisation Test (GPMT)  
Result: Animal test did not cause sensitization by skin contact.  
Method: US EPA Test Guideline OPPTS 870.2600  
(Data on the product itself) Information source: Internal study report

##### Repeated dose toxicity

- Thifensulfuron methyl  
The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.  
  
Oral - feed multiple species  
Reduced body weight gain  
  
Oral - feed Rat  
Increase in blood urea nitrogen, altered hematology



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

### Mutagenicity assessment

- Thifensulfuron methyl  
Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Animal testing did not show any mutagenic effects.

### Carcinogenicity assessment

- Thifensulfuron methyl  
Animal testing did not show any carcinogenic effects.

### Toxicity to reproduction assessment

- Thifensulfuron methyl  
No toxicity to reproduction Animal testing showed no reproductive toxicity.

### Assessment teratogenicity

- Thifensulfuron methyl  
Did not show teratogenic effects in animal experiments. Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

### STOT - single exposure

|| The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

|| The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration hazard

|| The mixture does not have properties associated with aspiration hazard potential.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Toxicity to fish

static test / LC50 / 96 h / *Oncorhynchus mykiss* (rainbow trout): > 120 mg/l  
Method: OECD Test Guideline 203  
(Data on the product itself) Information source: Internal study report

#### Toxicity to aquatic plants

ErC50 / 72 h / *Selenastrum capricornutum* (green algae): < 1.6 mg/l  
Method: OECD Test Guideline 201  
(Data on the product itself)

EC50 / 7 d / *Lemna gibba* (duckweed): 0.0014 mg/l



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

Method: OECD Test Guideline 221

(Data on the product itself) Information given is based on tests on the mixture itself.

Toxicity to aquatic invertebrates

static test / EC50 / 48 h / Daphnia magna (Water flea): > 120 mg/l

Method: OECD Test Guideline 202  
(Data on the product itself)

Chronic toxicity to fish

- Thifensulfuron methyl  
NOEC / 21 d / Oncorhynchus mykiss (rainbow trout): > 250 mg/l  
NOEC / 62 d / Oncorhynchus mykiss (rainbow trout): 10.6 mg/l

Chronic toxicity to aquatic Invertebrates

- Thifensulfuron methyl  
NOEC / 28 d / Americamysis bahia (mysid shrimp): 7.93 mg/l

EC50 / 21 d / Daphnia magna (Water flea): > 340 mg/l  
Information source: Internal study report

NOEC / 21 d / Daphnia magna (Water flea): > 340 mg/l

### 12.2. Persistence and degradability

Biodegradability

Not readily biodegradable. Estimation based on data obtained on active ingredient.

### 12.3. Bioaccumulative potential

Bioaccumulation

Does not bioaccumulate. Estimation based on data obtained on active ingredient.

### 12.4. Mobility in soil

Mobility in soil

Moderately mobile in soils

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). / This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### 12.6. Other adverse effects

**Additional ecological information**



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

No other ecological effects to be specially mentioned See product label for additional application instructions relating to environmental precautions.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Product : In accordance with local and national regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Do not re-use empty containers.

### SECTION 14: Transport information

#### ADR

- 14.1. UN number: 3077  
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl)  
14.3. Transport hazard class(es): 9  
14.4. Packing group: III  
14.5. Environmental hazards: For further information see Section 12.  
14.6. Special precautions for user:  
Tunnel restriction code: (E)

#### IATA\_C

- 14.1. UN number: 3077  
14.2. UN proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Thifensulfuron-methyl)  
14.3. Transport hazard class(es): 9  
14.4. Packing group: III  
14.5. Environmental hazards : For further information see Section 12.  
14.6. Special precautions for user:  
DuPont internal recommendations and transport guidance: ICAO / IATA cargo aircraft only

#### IMDG

- 14.1. UN number: 3077  
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl)  
14.3. Transport hazard class(es): 9  
14.4. Packing group: III  
14.5. Environmental hazards : Marine pollutant  
14.6. Special precautions for user:  
no data available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|| Other regulations : The product is classified as dangerous in accordance with Regulation (EC) No.



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

1272/2008. Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers. Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Take note of Directive 96/82/EC on the control of major-accident hazards involving dangerous substances. Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

### 15.2. Chemical Safety Assessment

A Chemical Safety Assessment is not required for this/these products  
The mixture is registered as a plant protection product under Regulation (EC) No. 1107/2009.  
Refer to the label for exposure assessment information.

## SECTION 16: Other information

### Text of R-phrases mentioned in Section 3

R36	Irritating to eyes.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Full text of H-Statements referred to under section 3.

H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Other information	professional use
-------------------	------------------

### Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-No.	Chemical Abstracts Service number
CLP	Classification, Labelling and Packaging
EbC50	Concentration at which 50% reduction of biomass is observed
EC50	Median effective concentration
EN	European Norm
EPA	Environmental Protection Agency
ErC50	Concentration at which a 50% inhibition of growth rate is observed
EyC50	Concentration at which 50 % inhibition of yield is observed
IATA_C	International Air Transport Association (Cargo)
IBC	International Bulk Chemical Code
ICAO	International Civil Aviation Organization
ISO	International Standard Organization
IMDG	International Maritime Dangerous Goods
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest observed effect level
MARPOL	International Convention for the Prevention of Marine Pollution from Ships
n.o.s.	Not Otherwise Specified



## PROSPECT® SX

Version 6.0 (replaces: Version 5.0)  
Revision Date 19.12.2014

Ref. 130000000398

NOAEC	No Observed Adverse Effect Concentration
NOAEL	No observed adverse effect level
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
OPPTS	Office of Prevention, Pesticides and Toxic Substances
PBT	Persistent, Bioaccumulative and Toxic
STEL	Short term exposure limit
TWA	Time Weighted Average (TWA):
vPvB	very Persistent and very Bioaccumulative

### Further information

Before use read DuPont's safety information., Take notice of the directions of use on the label.  
® Registered trademark of E.I. du Pont de Nemours and Company

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.