

Safari® Lite WSB herbicide

A blend of water-dispersible granules and wettable powder in a water-soluble bag and containing 750 g/kg lenacil and 57 g/kg triflusulfuron methyl for use as an agricultural herbicide for the control of broad-leaved weeds in sugar and fodder beet.

PCS No: 02132

SAFETY PRECAUTIONS

ENVIRONMENTAL PROTECTION

DO NOT CONTAMINATE WATER WITH THE PRODUCT OR ITS CONTAINER (DO NOT CLEAN APPLICATION EQUIPMENT NEAR SURFACE WATER/AVOID CONTAMINATION VIA DRAINS FROM FARMYARDS AND ROADS).

To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies

RISK AND SAFETY INFORMATION

Safari® Lite WSB

Herbicide containing 750 g/kg lenacil and 57 g/kg triflusulfuron methyl

WARNING





Very toxic to aquatic life with long lasting effects. Suspected of causing cancer

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

If exposed or concerned: Get medical advice/attention.

Collect spillage.

Dispose of contents/container to a licensed waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste

To avoid risks to human health and the environment, comply with the instructions for use

PCS No 02132

Contents: 280g **C**Batch No: XXX

Manufactured in the EU.

FOR PROFESSIONAL USE ONLY

Du Pont (UK) Limited

Crop ProtectionI Products 4th Floor, Kings Court, London Road, Stevenage Herts. SG1 2NG England

Tel: 00 44 1438 734450 or enquiry.agproducts@dupont.com

National Poisons Information Centre (24hr): 01 837 9964 DuPont Emergency Contact (24hr): 01 901 4670

FOR USE ONLY AS A PROFESSIONAL HERBICIDE IN SUGAR BEET AND FODDER BEET

For the control of certain broad-leaved weeds in sugar beet and fodder beet.

Maximum individual dose: 280 g/ha (1 WSB/ha)

Maximum number of treatments: 3 per crop

Latest time of application: Before crop meets in row

Method of application: Tractor mounted sprayer

READ ALL SAFETY INFORMATION BEFORE USE

[®] DuPont registered trademark

DIRECTIONS FOR USE

RESTRICTIONS

- 'Safari Lite WSB' must not be applied to any crop suffering from stress as a result of drought, water-logging, low temperatures, pest or disease attack, nutrient or lime deficiency or other factors reducing crop growth
- Due to the high level of activity of the herbicide, special care must be taken to avoid damage by drift onto plants outside the target area, or onto surface waters or ditches. Thorough cleansing of equipment is also very important see below.
- **Following Crops** After applying 'Safari Lite WSB' to a beet crop, following crops should not be planted or drilled until at least four months have elapsed since application, and ploughing and cultivation to a depth of at least 15 cm (6 inches) should be carried out. Only winter cereals should be sown in the same calendar year. Any crop may be sown or planted in the following spring after a beet crop treated with 'Safari Lite WSB'
- **Crop Failure** In the event of crop failure for any reason, sow only sugar beet within four months of application of 'Safari Lite WSB'. After four months from application refer to 'Following crops' section.
- **Soil Type** See separate section
- Do not apply 'Safari Lite WSB' in sequence or tank-mix with a product containing any other sulfonylurea.

WEED CONTROL

'Safari Lite WSB' works by foliar action and root activity. It controls a wide range of broad-leaved weeds. It is most effective if applied when the weeds are small and actively growing. Good spray cover of weeds must be obtained. Susceptible plants cease growth almost immediately after application and symptoms can be seen about 5 to 10 days after application. It is important to identify the weeds occurring in the crop and refer to the weed table to ensure that the weeds present are those susceptible to 'Safari Lite WSB'. The susceptibility ratings of weeds in the following table refer to good spray cover and growing conditions, with weed size of up to 2 true leaves.

Weed Species	Safari Lite WSB	Safari Lite WSB
	+ 1.0 L/ha	+ 0.5 L/ha
	desmedipham/ethofumesate/	desmedipham/ethofumesate/
	phenmedipham	phenmedipham
Black-bindweed	S	S
Charlock	S	S
Chickweed	S	S
Cleavers	S	S
Fat-hen	S	MS
Field Pansy	S	S
Fool's Parsley	S	S
Fumitory	S	S
Knotgrass	S	S
Mayweed, Scentless	S	S
Red Dead-nettle	S	S
Redshank	S	S
Small Nettle	S	S
Volunteer Oilseed	S	S
Rape		

S = Susceptible

MS = Moderately susceptible

WEED RESISTANCE

When herbicides with the same mode of action are used repeatedly over several years in the same field, selection of resistant biotypes can take place. These can propagate and may become dominating. A weed species is considered resistant to a herbicide if it survives a correctly-applied treatment at the recommended dose. Development of resistance within a weed species can be avoided or delayed by alternating (or tank mixing) with suitable products having a different mode of action.

CROP

'Safari Lite WSB' can be used on all varieties of sugar and fodder beet at the growth stages given below. When 'Safari Lite WSB' is used in sequence with graminicides, the minimum time interval should be observed between applications in accordance with the manufacturer's recommendations.

TIMING

'Safari Lite WSB' mixtures can be applied from the early cotyledon stage of sugar and fodder beet as part of a planned programme. The first application should be made in the spring when the first weeds have emerged. Subsequent applications should be made every 5 - 14 days when new flushes of weeds are at or just past the cotyledon stage.

SOIL

'Safari Lite WSB' may be used on very light soils, light soils and medium loams. 'Safari Lite WSB' is not recommended for use on soils coarser than a loamy coarse sand or finer than a clay loam, or on stony and gravelly soils or soils with over 5% organic matter. Growers are advised to consult their advisor, who will assist in soil classification, before 'Safari Lite WSB' is used. Weed control may be reduced when soil conditions are very dry.

WEATHER

Avoid high light intensity (full sunlight) and high temperatures (above 21°C) on the day of spraying. Avoid periods of substantial day to night temperature changes or when frost is expected. Rain soon after application is essential to carry 'Safari Lite WSB' into the root zone of germinating weeds. The control of weeds may be poor if a dry period follows application.

DOSE

'Safari Lite WSB' should be applied at 280 g/ha (1 WSB/ha) in conjunction with a suitable herbicide tank mix partner (see compatibility).

VOLUME AND APPLICATION

BEFORE USING 'Safari Lite WSB', SPRAYING EQUIPMENT MUST BE CLEAN AND FREE FROM CONTAMINATION WITH OTHER PESTICIDES.

OVERALL APPLICATION

'Safari Lite WSB' should be applied overall in 80 - 150 litres of water per hectare, using suitable equipment to give a FINE spray, as defined by BCPC. Good, even spray cover of the weeds is essential for best results. Care should be taken not to overlap spray swaths.

BAND APPLICATION

Similar doses, water volumes and spray quality should be used as in overall application, but the area covered will be dependent upon the row spacing and bandwidth. Careful calibration is essential to achieve best results.

MIXING

'Safari Lite WSB' mixes easily with water, but the following mixing procedure should be followed: Quarter fill the spray tank with water and start the agitation. Tear open the foil envelope inside the cardboard box and add the water-soluble bag (WSB) directly to the spray tank and complete filling. Ensure it has fully dispersed before adding the tank-mix partner(s). Continue agitation while topping up the tank and while spraying. Use the tank the same day as mixing.

COMPATIBILITY

Always add 'Safari Lite WSB' the tank first and ensure it is fully dispersed before adding the partner product(s).

'Safari Lite WSB' should be tank-mixed with other herbicides (see WEED SUSCEPTIBILITY table). Products should only be tank-mixed if each product can be applied within the manufacturer's label recommendation for its use.

WARNING

EXTREME CARE SHOULD BE TAKEN TO AVOID DAMAGE BY DRIFT OF SPRAY ONTO PLANTS OUTSIDE THE TARGET AREA OR ONTO SURFACE WATERS OR DITCHES. SPRAYING EQUIPMENT SHOULD NOT BE DRAINED OR FLUSHED ONTO LAND PLANTED WITH OR INTENDED FOR PLANTING WITH TREES OR CROPS OTHER THAN SUGAR BEET.

SPRAY TANK CLEAN-OUT

TO AVOID SUBSEQUENT DAMAGE TO CROPS OTHER THAN SUGAR BEET, IMMEDIATELY AFTER SPRAYING 'Safari Lite WSB' THOROUGHLY CLEAN ALL SPRAY EQUIPMENT INCLUDING INSIDE AND OUTSIDE OF LID USING ALL CLEAR™ EXTRA SPRAYER CLEANER ACCORDING TO THE LABEL INSTRUCTIONS.

- 1. Immediately after spraying, drain tank completely. Any contamination on the outside of the spraying equipment should be removed by washing with clean water.
- 2. Rinse inside of tank with clean water and flush through boom and hoses using at least one-tenth of the spray tank volume. Drain tank completely.
- 3. Half fill tank with clean water and add DuPont ALL CLEAR EXTRA at the recommended rate. Agitate and then flush the boom and hoses with the cleaning solution. Top up with water making sure the tank is completely full and allow to stand for 15 minutes with agitation. Again flush the boom and hoses and drain tank completely.
- 4. Nozzles and filters should be removed and cleaned separately with an ALL CLEAR EXTRA solution containing 50 ml of ALL CLEAR EXTRA per 10 litres of water.
- 5. Rinse the tank with clean water and flush through the boom and hoses using at least one-tenth of the spray tank volume. Drain tank completely.
- 6. Dispose of washings safely. Do not spray onto sensitive crop or land intended for cropping with sensitive crops.

NOTE:

If it is not possible to drain the tank completely, step 3 must be repeated before going on to step 4.

Failure to thoroughly clean your sprayer after use can result in damage to sensitive crops sprayed later.

NOTICE TO BUYER

All goods supplied by us are of a high grade and we believe them to be suitable for any purpose for which we expressly supply them, but as we cannot exercise control over their mixing or use, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us for any damage or injury whatsoever arising from their storage, handling, application or use.

[Insert QR code and wording]

To access the Safety Data Sheet for this product scan the code, visit www.cropprotection.dupont.co.uk or alternatively contact your supplier

TMALL CLEAR is a trademark of E. I. du Pont de Nemours and Company.