

Cereal Aloy[®]

Brand Name	Cereal Aloy [®]
Product Code	C010
Purpose	A fluid foliar fertiliser that provides short and long term supply of Magnesium, with Copper, Manganese and Zinc. Manufactured with proprietary surfactant blends that give improved “rain-fastness” and superior tank mix compatibility.
Description	A micro-nutrient fertiliser containing: Magnesium (Short and long term release), Copper, Manganese and Zinc.
Standard Pack Sizes	8lt, 700lt IBC.

Chemical Composition

Formulation (g/l)	MgO 260. Magnesium Nitrate 18, Magnesium Hydroxide 242. Cu 50, Mn 130, Zn 80.
--------------------------	---

Physical Properties

Physical State	Viscous Liquid
Colour	Green
pH	8.0 – 9.5
Density	1.62 - 1.68

Instructions for Use

Foliar Applications Cereals: Typically 1 litre/ha in 200 litre water. From 2 leaves to second node detectable (Zadok's GS 12 to 32) where required repeat at the same rate in 10-14 day intervals. Shake bottle well before use.

Half fill the tank with water and switch on agitation. Always make sure the additions are fully mixed until dissolved or dispersed before adding the next product.

- Add water conditioners, if needed. Add granules powders and mix well. Pre disperse if possible (WP, DG).

- Add Cereal Aloy[®] and other flowables (SC, SE).

- Add Emulsion Concentrates and crop oils (EC).

- Add water soluble: liquids and solids. (SL, SP).

- Add wetters, if needed and top up with water.

Provided these guidelines are followed almost all tank mixes are physically compatible, with continuous agitation. If agitation fails, for any reason, then it is essential to clean out the tank immediately.

Foliar Fix Cereal Aloy[®] is tank mixable with most spray applied chemicals. Read all labels carefully and adhere to the instructions for use and advice regarding whether or not the products should be co-applied.

If mixing products in the spray tank, add product first.

Many variables outside the control of Safagrow can influence the performance of co-applied products and therefore co-application is entirely at the risk of the end user.

Storage

Protect from frost. Store between 5°C and 35°C. Do not store in direct sunlight. Keep away from food, drink and animal feed. Keep out of reach of children.



GOIARFIX



Application Recommendations

Crop	Rate	Timings
Cereals	1 L/Ha	Apply from 2 leaves to second node detectable (Zadok's GS 12 to 32). Where required repeat at the same rate in 10-14 day intervals. Water rate 200 L/Ha.

