



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

This Safety Data Sheet adheres to the standards and regulatory requirements of the Republic of Ireland and may not meet the regulatory requirements of other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : VYDATE® 10G

Synonyms : B10049174
DPX-D1410 10G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide

1.3. Details of the supplier of the safety data sheet

Company : Du Pont (UK) Limited
Wedgwood Way
Stevenage, Herts. SG1 4QN
United Kingdom

Telephone : +44 (0) 1438 734 000

E-mail address : sds-support@che.dupont.com

1.4. Emergency telephone number

Emergency telephone number : +44 (0) 8456 006 640

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute toxicity, Category 2	H300: Fatal if swallowed.
Acute toxicity, Category 3	H331: Toxic if inhaled.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.

Toxic	R23/25: Toxic by inhalation and if swallowed.
Dangerous for the environment	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements



VYDATE® 10G

Version 4.0
Revision Date 25.07.2013

Ref. 130000000049



Skull and crossbones

Danger

H300 Fatal if swallowed.
H331 Toxic if inhaled.
H412 Harmful to aquatic life with long lasting effects.

P261 Avoid breathing dust.
P264 Wash hands thoroughly after handling.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P321 Specific treatment (see supplemental first aid instructions on this label).
P330 Rinse mouth.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/ container to an approved waste disposal plant.

SP 1 Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).
Restricted to professional users.

SECTION 3: Composition/information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Registration number	Classification according to Directive 67/548/EEC	Classification according to Regulation (EU) 1272/2008 (CLP)	Concentration
---------------------	--	---	---------------

OxamyI (CAS-No.23135-22-0) (EC-No.245-445-3)

	T+;R26/28 Xn;R21 N;R51/53	Acute Tox. 2; H330 Acute Tox. 2; H300 Acute Tox. 4; H312 Aquatic Chronic 2; H411	10 %
--	---------------------------------	---	------



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

Cyclohexanone (CAS-No.108-94-1) (EC-No.203-631-1)

01-2119453616-35	R10 Xn;R20	Flam. Liq. 3; H226 Acute Tox. 4; H332	5 - < 10 %
------------------	---------------	--	------------

Phosphoric acid...% (CAS-No.7664-38-2) (EC-No.231-633-2)

01-2119485924-24	C;R34 T;R23 Xn;R21/22	Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 4; H312 Skin Corr. 1B; H314	1 - < 5 %
------------------	-----------------------------	---	-----------

The above products are REACH compliant; Registration number(s) may not be provided because substance(s) are exempted, not yet registered under REACH or are registered under another regulatory process (biocide uses, plant protection products), etc.

For the full text of the R-phrases mentioned in this Section, see Section 16.
For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

- || General advice : Never give anything by mouth to an unconscious person. For specialist advice physicians should contact the National Poisons Information Service: Tel. (01) 809 2911. If breathing is irregular or stopped, administer artificial respiration.
- || : Contains an N-methyl carbamate that inhibits cholinesterase. This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.
- Inhalation : Move to fresh air. Consult a physician after significant exposure. Artificial respiration and/or oxygen may be necessary.
- Skin contact : Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician. If after contact with the skin signs of poisoning appear, call a physician or poison control centre immediately.
- Eye contact : If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Get medical advice/ attention.
- Ingestion : Call a physician or poison control centre immediately. If swallowed, drink 1 or 2 glasses of water and try once or twice to induce vomiting by touching the back of throat with finger. Induce vomiting, but only if victim is fully conscious. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

- Risks : Allow no further exposure to any cholinesterase inhibitor until full recovery is assured.
- Symptoms : Breathing difficulties, Shortness of breath, Dizziness, Nausea, Weakness, Headache, Blurred vision, constriction of pupils, slow pulse, sweating, muscle



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

twitching

4.3. Indication of any immediate medical attention and special treatment needed

- Treatment :
- Administer atropine sulphate as an antidote until complete atropinisation (1.2-2.0 mg i.v. every 10-30 minutes). 2-PAM may be used as an antidote in conjunction with atropine sulphate but must not be used alone. Allow no further exposure to any cholinesterase inhibitor until full recovery is assured.
 - Contraindication: Oximes (pralidoxime), succinylcholine and other cholinergic agents, respiratory stimulants and physostigmine. Morphine therapy is contra-indicated.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO₂)

Extinguishing media which shall not be used for safety reasons : High volume water jet, (contamination risk)

5.2. Special hazards arising from the substance or mixture

Specific hazards during firefighting : Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO₂) nitrogen oxides (NO_x)

5.3. Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information :

- Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Control access to area. Avoid dust formation. Keep people away from and upwind of spill/leak. Ventilate spill area. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.

6.2. Environmental precautions



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

Environmental precautions : Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal.
Clean-up methods - large spillage Avoid dust formation. Knock down dust with water spray jet. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

Other information : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

6.4. Reference to other sections

For personal protection see section 8., For disposal instructions see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use only in an area equipped with a safety shower. Use only according to our recommendations.

Wear personal protective equipment. Use only clean equipment. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust or spray mist. Use prepared working solution as soon as possible - Do not store. In case of insufficient ventilation, wear suitable respiratory equipment. Prepare the working solution as given on the label(s) and/or the user instructions. Avoid exceeding of the given occupational exposure limits (see section 8). For personal protection see section 8.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Avoid dust formation in confined areas. During processing, dust may form explosive mixture in air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep locked up or in an area accessible only to qualified or authorised persons. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labelled containers. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

Advice on common storage : No special restrictions on storage with other products.

Other data : Stable under recommended storage conditions.

7.3. Specific end use(s)



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

If sub-section is empty then no values are applicable.

Components with workplace control parameters

Type Form of exposure	Control parameters	Update	Basis	Remarks
--------------------------	-----------------------	--------	-------	---------

Quartz (CAS-No. 14808-60-7)

TWA Respirable dust.	0.1 mg/m3	2010	ELV (IE)	
-------------------------	-----------	------	----------	--

Cyclohexanone (CAS-No. 108-94-1)

TWA	40.8 mg/m3 10 ppm	2010	ELV (IE)	Indicative OELV
STEL	81.6 mg/m3 20 ppm	2010	ELV (IE)	Indicative OELV
SKIN_DES		2010	ELV (IE)	Can be absorbed through skin.
SKIN_DES		12 2009	EU ELV	Can be absorbed through skin.
TWA	40.8 mg/m3 10 ppm	12 2009	EU ELV	Indicative
STEL	81.6 mg/m3 20 ppm	12 2009	EU ELV	Indicative

Phosphoric acid...% (CAS-No. 7664-38-2)

TWA	1 mg/m3	2010	ELV (IE)	Indicative OELV
STEL	2 mg/m3	2010	ELV (IE)	Indicative OELV
STEL	2 mg/m3	12 2009	EU ELV	Indicative
TWA	1 mg/m3	12 2009	EU ELV	Indicative

Derived No Effect Level (DNEL)

- Phosphoric acid...% : Type of Application (Use): Workers
Exposure routes: Inhalation
Health Effect: Chronic effects, Local effects
Value: 2.92 mg/m3



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 13000000049

: Type of Application (Use): Consumer use
Exposure routes: Inhalation
Health Effect: Chronic effects, Local effects
Value: 0.73 mg/m³

8.2. Exposure controls

- Engineering measures : Ensure adequate ventilation, especially in confined areas. Use only in area provided with appropriate exhaust ventilation. Provide for appropriate exhaust ventilation and dust collection at machinery.
- Eye protection : Safety glasses with side-shields conforming to EN166
- Hand protection : Material: Nitrile rubber
Glove thickness: 0.3 mm
Glove length: Standard glove type.
Protection index: Class 6
Wearing time: > 480 min
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Before removing gloves clean them with soap and water.
- Skin and body protection : Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-2) Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Rubber apron Rubber or plastic boots Spray application - outdoor: Tractor / sprayer with hood: No personal body protection normally required. Tractor / sprayer without hood: Backpack / knapsack sprayer: Rubber or plastic boots Low application (horticulture, field crops): Full protective clothing Type 4 (EN 14605) Middle-height application (vegetables, viticulture): High application (orchard, fruit trees): Full protective clothing Type 3 (EN 14605) Mechanical automatized spray application in closed tunnel: No personal body protection normally required.
- Protective measures : All Personal Protection Equipment should be checked before use to confirm it is compatible with the chemicals you are handling.
The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during application.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes and clothing. Avoid breathing dust or solution spray. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Dispose of rinse water in accordance with local and national regulations.

Respiratory protection : Manufacturing and processing work: Half mask with a particle filter FFP3 (EN149) Mixer and loaders must wear: Half mask with vapour filter A3 (EN 141) Spray application - outdoor: Tractor / sprayer with hood: No personal respiratory protective equipment normally required. Tractor / sprayer without hood: Backpack / knapsack sprayer: Half mask with a particle filter P3 (EN 143). Mechanical automatized spray application in closed tunnel: No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form : granules

Colour : blue green

Odour : slight, solvent-like

Odour Threshold : not determined

pH : 6.8 at 100 g/l (24 °C)

Melting point/range : Not available for this mixture.

Flash point : not applicable

Flammability (solid, gas) : Does not sustain combustion.

Thermal decomposition : Not available for this mixture.

Auto-ignition temperature : Not available for this mixture.

Oxidizing properties : The product is not oxidizing.

Lower explosion limit/ lower flammability limit : Not available for this mixture.

Upper explosion limit/ upper flammability limit : Not available for this mixture.

Vapour pressure : Not available for this mixture.

Relative density : Not available for this mixture.

Bulk density : 720 kg/m³

Water solubility : 229 g/l at 25 °C

Partition coefficient: n- : not applicable



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

octanol/water

Viscosity, dynamic : not applicable

Relative vapour density : Not available for this mixture.

Evaporation rate : Not available for this mixture.

9.2. Other information

Phys.-chem./other information : No other data to be specially mentioned.

SECTION 10: Stability and reactivity

10.1. Reactivity : No hazards to be specially mentioned.

10.2. Chemical stability : The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use. Burning produces noxious and toxic fumes. No decomposition if stored and applied as directed.

10.4. Conditions to avoid : Heating can release hazardous gases. Under severe dusting conditions, this material may form explosive mixtures in air.

10.5. Incompatible materials : No materials to be especially mentioned.

10.6. Hazardous decomposition products : No materials to be especially mentioned.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

LD50 / rat male : 43 mg/kg
Method: OECD Test Guideline 401
(Data on the product itself) Information source: Internal study report

LD50 / rat female : 34 mg/kg
Method: OECD Test Guideline 401
(Data on the product itself) Information source: Internal study report

Acute inhalation toxicity

LC50 / 4 h rat : 0.68 mg/l
Method: OECD Test Guideline 403
(Data on the product itself) Information source: Internal study report

Acute dermal toxicity



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

LD50 / rabbit : > 5,000 mg/kg
Method: OECD Test Guideline 402
(Data on the product itself) Information source: Internal study report

Skin irritation

rabbit
Result: No skin irritation
Method: OECD Test Guideline 404
(Data on the product itself)

Eye irritation

rabbit
Result: No eye irritation
Method: OECD Test Guideline 405
(Data on the product itself)

Sensitisation

guinea pig Modified Buehler Test
Result: Animal test did not cause sensitization by skin contact.
Method: OECD Test Guideline 406
(Data on the product itself)

Repeated dose toxicity

- Oxamyl
Oral - feed multiple species
Exposure time: 15 d
LOAEL: 0.75 mg/kg
Reduced body weight gain, cholinesterase inhibition

Mutagenicity assessment

- Oxamyl
Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity assessment

- Oxamyl
Did not show carcinogenic effects in animal experiments.

Not classifiable as a human carcinogen.

Toxicity to reproduction assessment

- Oxamyl
No toxicity to reproduction

Assessment teratogenicity

- Oxamyl



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 13000000049

Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

STOT - single exposure-

|| The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

|| The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

|| The mixture does not have properties associated with aspiration hazard potential.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish

static test / LC50 / 96 h / *Lepomis macrochirus* (Bluegill sunfish): 47 mg/l
Method: OECD Test Guideline 203
(Data on the product itself) Information source: Internal study report

Toxicity to aquatic plants

EbC50 / 72 h / *Pseudokirchneriella subcapitata* (green algae): 8.6 mg/l
Method: OECD Test Guideline 201
(Data on the product itself) Information source: Internal study report

Toxicity to aquatic invertebrates

EC50 / 48 h / *Daphnia magna* (Water flea): 3.3 mg/l
Method: OECD Test Guideline 202
(Data on the product itself) Information source: Internal study report

Chronic toxicity to fish

- Oxamyl
Early Life-Stage / NOEC / 61 d / *Oncorhynchus mykiss* (rainbow trout): 0.77 mg/l

Chronic toxicity to aquatic Invertebrates

- Oxamyl
flow-through test / NOEC / 21 d / *Daphnia magna* (Water flea): 0.0268 mg/l

12.2. Persistence and degradability

Biodegradability

Not readily biodegradable. Estimation based on data obtained on active ingredient.

12.3. Bioaccumulative potential



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

Bioaccumulation

Does not bioaccumulate. Estimation based on data obtained on active ingredient.

12.4. Mobility in soil

Mobility in soil

Potentially mobile, but the leaching potential is mitigated by rapid degradation in viable agricultural soils.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). / This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

Additional ecological information

No other ecological effects to be specially mentioned See product label for additional application instructions relating to environmental precautions.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product : In accordance with local and national regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Do not re-use empty containers.

SECTION 14: Transport information

ADR

- 14.1. UN number: 2757
14.2. UN proper shipping name: CARBAMATE PESTICIDE, SOLID, TOXIC (Oxamyl)
14.3. Transport hazard class(es): 6.1
14.4. Packing group: II
14.5. Environmental hazards: Environmentally hazardous
14.6. Special precautions for user:
Tunnel restriction code: (D/E)

IATA_C

- 14.1. UN number: 2757
14.2. UN proper shipping name: Carbamate pesticide, solid, toxic (Oxamyl)
14.3. Transport hazard class(es): 6.1
14.4. Packing group: II
14.5. Environmental hazards : For further information see Section 12.
14.6. Special precautions for user:
DuPont internal recommendations and transport guidance: ICAO / IATA cargo aircraft only

IMDG



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

- | | |
|-------------------------------------|--|
| 14.1. UN number: | 2757 |
| 14.2. UN proper shipping name: | CARBAMATE PESTICIDE, SOLID, TOXIC (Oxamyl) |
| 14.3. Transport hazard class(es): | 6.1 |
| 14.4. Packing group: | II |
| 14.5. Environmental hazards : | Marine pollutant |
| 14.6. Special precautions for user: | no data available |

- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**
not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008. Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers. Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Take note of Directive 96/82/EC on the control of major-accident hazards involving dangerous substances. Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

15.2. Chemical Safety Assessment

A Chemical Safety Assessment is not required for this/these products
The mixture is registered as a plant protection product under Regulation (EC) No. 1107/2009.
Refer to the label for exposure assessment information.

SECTION 16: Other information

Text of R-phrases mentioned in Section 3

- | | |
|--------|---|
| R10 | Flammable. |
| R20 | Harmful by inhalation. |
| R21 | Harmful in contact with skin. |
| R21/22 | Harmful in contact with skin and if swallowed. |
| R23 | Toxic by inhalation. |
| R26/28 | Also very toxic by inhalation and if swallowed. |
| R34 | Causes burns. |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |

Full text of H-Statements referred to under section 3.

- | | |
|------|--|
| H226 | Flammable liquid and vapour. |
| H300 | Fatal if swallowed. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H411 | Toxic to aquatic life with long lasting effects. |



VYDATE® 10G

Version 4.0

Revision Date 25.07.2013

Ref. 130000000049

Other information professional use

Restrictions on use

It is forbidden to appoint minors for work exposing them to this product.

Further information

Before use read DuPont's safety information., Take notice of the directions of use on the label.

® Registered trademark of E.I. du Pont de Nemours and Company

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.